INT. J. REMOTE SENSING, 1989, VOL. 10, NO. 12, 1919–1927

Index of Authors (with the titles of papers)

ABBOT, R. H., *see* Penny, M. F.
ABER, J. D., *see* Wessman, C. A.
ADIGA, S., and HEBBAR, K. J.: Commercialization aspects of data-product generation/dissemination and remote sensing utilization equipment in India, 275
ALI, A., QUADIR, D. A., and HUH, O. K.: Study of river flood hydrology in Bangladesh with AVHRR data, 1873
ALPERS, W., *see* Hühnerfuss, H.
AMOS, B. J., and GREENBAUM, D.: Alteration detection using TM imagery. The effects of supergene weathering in an arid climate, 515
ASIMAKOPOULOS, D. N., *see* Deligiorgi, D. G.
ASSAD, E., *see* Seguin, B.
AUTRET, M., BERNARD, R., and VIDAL-MADJAR, D.: Theoretical study of the sensitivity of the microwave backscattering coefficient to the soil surface parameters, 171

BAKHIT, F. S., and EL KASSAS, I. A.: Distribution and orientation of radioactive veins in the El Erediya-El Missikat area, Central Eastern Desert, Egypt, 565
BARRY, R. G., *see* Key, J. R.
BARTHOLOMEW, M. J., KAHLE, A. B., and HOOVER, G.: Infrared spectroscopy (2·3–20 μm) for the geological interpretation of remotely-sensed multispectral thermal infrared data, 529
BEAUMONT, T. E.: Remote sensing commercialization and consulting engineering practice, 411
BELSHER, T., *see* Ben Moussa, H.
BEN MOUSSA, H., VIOLLIER, M., et BELSHER, T.: Télédétection des algues macrophytes de l'Archipel de Molène (France). Radiometrie de terrain et application aux données du satellite SPOT, 53
BEN MOUSSA, H., VIOLLIER, M., et BELSHER, T.: Télédétection des algues macrophytes de l'Archipel de Molène (France). Radiométrie de terrain et application aux données du satellite SPOT (erratum), 1125
BERLIN, G. L.: Cover. SIR-A signature of Al Umchaimin crater, western Iraq, 451
BERNARD, R., *see* Autret, M.
BESCOND, P.: Commercialization of remote sensing in the U.S.A. The SPOT perspective, 289
BHATTACHARYA, A., *see* Philip, G.
BILLARD, B., *see* Penny, M. F.
BLANCHARD, A. J., *see* Rochier, J. D.
BOOTH, D. J., and OLDFIELD, R. B.: A comparison of classification algorithms in terms of speed and accuracy after the application of a post-classification modal filter, 1271
BOULTON, G. S., *see* Johnston, A. C.
BOUMAN, B. A. M., and GOUDRIAAN, J.: Estimation of crop growth from optical and microwave soil cover, 1843
BREDOW, J., *see* Zoughi, R.
BRIMICOMBE, A. J.: Commercialization. A south-east Asian viewpoint, 429
BROWN, R. J., *see* Poirier, S.
BROWN, R. W., *see* Ward, S. A.
BRYCESON, K. P.: The use of Landsat MSS data to determine the distribution of locust eggbeds in the Riverina region of New South Wales, Australia, 1749
BURNS, B., *see* Stow, D.
BÜTTNER, G., HAJÓS, T., and KORÁNDI, M.: Improvements to the effectiveness of supervised training procedures, 1005

CASELLES, V., and LÓPEZ GARCÍA, M. J.: An alternative simple approach to estimate atmospheric correction in multitemporal studies, 1127
CAVAYAS, F., *see* Maillard, P.
CHAKRABORTY, P. K., *see* Sen, A. K.
CHANDRA, K. S., *see* Goel, P. S.

CHANDRASHEKAR, S.: Commercialization of remote sensing. The viewpoint of a developing country, 431
CHAPMAN, J. E., ROTHERY, D. A., FRANCIS, P. W., and PONTUAL, A.: Remote sensing of mineral zonation in salt flats (salars), 245
CHATTOPADHYAY, S., and CHATTOPADHYAY, S. M.: Application of remote sensing in terrain analysis. A case study of the Wayanad Plateau, Kerala, India, 1075
CHATTOPADHYAY, S. M., *see* Chattopadhyay, S.
CHEN, M. F., *see* Rochier, J. D.
CHENG SHI: An adaptive noise smoothing filter for remotely-sensed images with microphonic noise, 1015
CHOUDHURY, B. J.: Monitoring global land surface using Nimbus-7 37 GHz data. Theory and examples, 1579
CHOUDHURY, B. J., *see* Giddings, L.
CHOUDHURY, B. J., *see* Justice, C. O.
CHOUDHURY, B. J., *see* Prince, S. D.
CHOUDHURY, B. J., *see* Townshend, J. R. G.
CHOUDHURY, B. J., *see* Tucker, C. J.
CLARK, C., *see* Johnston, A. C.
COLLIER, P.: Radiometric monitoring of moisture stress in irrigated cotton, 1445
COLLIER, P., RUNACRES, A. M. E., and MCCLATCHEY, J.: Mapping very low surface temperature in the Scottish Highlands, using NOAA AVHRR data, 1519
CONDAL, A., *see* Poirier, S.
CONNORS, K. F., *see* GARDNER, T. W.
CONTZEN, J. P.: The experience of the Commission of the European Communities in the use of remote sensing for the implementation of community policies, 385
COOK, E. A., *see* Iverson, L. R.
CORR, D. G., TAYLOR, A. M., CROSS, A., HOGG, D. C., LAWRENCE, D. H., MASON, D. C., and PETROU, M.: Progress in automatic analysis of multi-temporal remotely-sensed data, 1175
CRACKNELL, A. P., and PAITHOONWATTANAKIJ, K.: Pixel and sub-pixel accuracy in geometrical correction of AVHRR imagery, 661
CRACKNELL, A. P., *see* Johnston, A. C.
CRACKNELL, A. P., *see* Saraf, A. K.
CROSS, A., *see* Corr, D. G.
CROSS, A. M., *see* Wadge, G.
CRÓSTA, A. P., and MOORE, J. MCM.: Geological mapping using Landsat Thematic Mapper imagery in Almeria Province, south-east Spain, 505
CURE, W. W., *see* Edwards, G. J.
CURRAN, P. J., *see* Novo, E. M. M.
CUSHNIE, J. L., *see* Quarmby, N. A.

DAS, J., DE, A. K., and DUTTA MAJUMDER, D.: VHF propagation characterization during atmospheric disturbances, 1227
DAS, T. K., *see* Sen, A. K.
DE SOYRES, F.: Economic aspects of new cartographic products, 381
DE, A. K., *see* Das, J.
DEDIEU, G., *see* Kerr, Y. H.
DEEKSHATULU, B. L.: Cover. Landsat TM image of Northern Indian plains, 1821
DELIGIORGI, D. G., HELMIS, C. G., ASIMAKOPOULOS, D. N., and LALAS, D. P.: Quantitative acoustic sounding from the top of a steep mountain, 211
DEVBARMAN, S., *see* Sen, A. K.
DEVGUPTA, A. K., *see* Sen, A. K.
DIABATE, L., *see* Moussu, G.
DRURY, S. A., and HUNT, G. A.: Geological uses of remotely-sensed reflected and emitted data of lateritized Archaean terrain in Western Australia, 475
DUDHIA, A.: Noise characteristics of the AVHRR infrared channels, 637
DUGGIN, M. J., *see* Philipson, W. R.
DUTTA MAJUMDER, D., *see* Das, J.
DWIVEDI, R. S., *see* Singh, A. N.

EDWARDS, G. J., and CURE, W. W.: The use of a spectroradiometer to study aerial photographs of ozone-treated soybeans, 1913
EL KASSAS, I. A., *see* Bakhit, F. S.
ELLINGSEN, E.: The Tromsø Telemetry Station. Present capabilities and future plans, 613
EMERY, W. J., *see* Roth, M.

FADEYEVA, YE V., *see* Vygodskaya, N. N.
FERNS, D. C., and HIERONIMUS, A.-M.: Trend analysis for the commercial future of remote sensing, 33
FOODY, G. M., *see* Wood, T. F.
FOY, C. D., *see* Suresh, R.
FRANCIS, P. W., *see* Chapman, J. E.
FRANKLIN, S. E., and PEDDLE, D. R.: Spectral texture for improved class discrimination in complex terrain, 1437
FRETEAUD, J. P., *see* Seguin, B.
FULLER, R. M., PARSELL, R. J., OLIVER, M., and WYATT, G.: Visual and computer classifications of remotely-sensed images. A case study of grasslands in Cambridgeshire, 193
FUSCO, L., MUIRHEAD, K., and TOBISS, G.: Earthnet's coordination scheme for AVHRR data, 625

GARDNER, T. W., CONNORS, K. F., and HAIYAN HU: Extraction of fluvial networks from SPOT panchromatic data in a low relief, arid basin, 1789
GASTELLU-ETCHEGORRY, J. P.: An assessment of SPOT capability for cartographic applications in Indonesia, 1763
GAUTAM, N. C., *see* Narayan, L. R. A.
GESELL, G.: An algorithm for snow and ice detection using AVHRR data. An extension to the APOLLO software package, 897
GIDDINGS, L., and CHOUDHURY, B. J.: Observation of hydrological features with Nimbus-7 37 GHz data, applied to South America, 1673
GIDDINGS, L., *see* Townshend, J. R. G.
GOEL, N. S., and REYNOLDS, N. E.: Bidirectional canopy reflectance and its relationship to vegetation characteristics, 107
GOEL, P. S., VENKAT RAO, M., and CHANDRA, K. S.: Attitude control system specifications for a remote sensing satellite, 1531
GOFF, T. E., *see* Townshend, J. R. G.
GOODMAN, A. H., *see* McGuffie, K.
GORDON, D. K., *see* Philipson, W. R.
GORSHKOVA, I. I., *see* Vygodskaya, N. N.
GOUDRIAAN, J., *see* Bouman, B. A. M.
GRAHAM, R. L., *see* Iverson, L. R.
GREENBAUM, D., *see* Amos, B. J.
GUISSARD, A., and SOBIESKI, P.: An approximate model for the microwave brightness temperature of the sea (erratum), 1803
GUPTA, R. P., *see* Philip, G.
GUTMAN, G.: On the relationship between monthly mean and maximum-value composite normalized vegetation indices, 1317

HAIYAN HU, *see* Gardner, T. W.
HAJÓS, T., *see* Büttner, G.
HANSOM, J. D., *see* Novo, E. M. M.
HARRIS, A. R., and MASON, I. M.: Lake area measurement using AVHRR. A case study, 885
HARRISON, B. A., JUPP, D. L. B., HUTTON, P. G., and MAYO, K. K.: Accessing remote sensing technology. The microBRIAN example, 301
HARRISON, A. R., and LUCAS, R. M.: Multi-spectral classification of snow using NOAA AVHRR imagery, 907
HAUGAN, P. M., *see* Johannessen, J. A.
HAUTECOEUR, O., *see* Kerr, Y. K.
HAY, A. M.: Global estimates from confusion matrices. A reply to Jupp, 1571.
HAYDN, R., *see* Richter, R.

HEBBAR, K. J., *see* Adiga, S.
HEEB, M., *see* Winiger, M.
HELMIS, C. G., *see* Deligiorgi, D. G.
HENDERSON-SELLERS, A., *see* McGuffie, K.
HEPPLEWHITE, C. L.: Remote observation of the sea surface and atmosphere. The oceanic skin effect, 801
HIERONIMUS, A.-M., *see* Ferns, D. C.
HIERONIMUS, A.-M., et MARELLI, L.: La Commercialisation de la télédétection. Les produits ERS, 311
HOGG, D. C., *see* Corr, D. G.
HOOVER, G., *see* Bartholomew, M. J.
HOPE, A., *see* Stow, D.
HOWARTH, P. J., *see* Wagner, C. L.
HUH, O. K., *see* Ali, A.
HÜHNERFUSS, H., ALPERS, W., and WITTE, F.: Layers of different thicknesses in mineral oil spills detected by grey level textures of real aperture radar images, 1093
HUNT, G. A., *see* Drury, S. A.
HUTTON, P. G., *see* Harrison, B. A.

IMBERNON, J., *see* Kerr, Y. H.
IMBERNON, J., *see* Seguin, B.
IVERSON, L. R., COOK, E. A., and GRAHAM, R. L.: A technique for extrapolating and validating forest cover across large regions, 1805

JEWELL, N.: An evaluation of multi-date SPOT data for agriculture and land use mapping in the United Kingdom, 939
JOHANNESSEN, J. A., JOHANNESSEN, O. M., and HAUGHAN, P. M.: Remote sensing and model simulation studies of the Norwegian Coastal Current during the algal bloom in May 1988, 1893
JOHANNESSEN, O. M., *see* Johannessen, J. A.
JOHNSTON, A. C., CRACKNELL, A. P., VAUGHAN, R. A., BOULTON, G. S., and CLARK, C.: Identification of ancient glacier marks using AVHRR imagery, 917
JULLIEN, J. P., *see* Phulpin, T.
JUPP, D. L. B.: The stability of global estimates from confusion matrices, 1563
JUPP, D. L. B., *see* Harrison, B. A.
JUSTICE, C. O., MARKHAM, B. L., TOWNSHEND, J. R. G., and KENNARD, R. L.: Spatial degradation of satellite data, 1539
JUSTICE, C. O., *see* Townshend, J. R. G.
JUSTICE, C. O., TOWNSHEND, J. R. G., and CHOUDHURY, B. J.: Comparison of AVHRR and SMMR data for monitoring vegetation phenology at a continental scale, 1607

KAHLE, A. B., *see* Bartholomew, M. J.
KALB, V. T., *see* Townshend, J. R. G.
KARALE, R. L., *see* Rao, K. S.
KARLSSON, K.-G.: Development of an operational cloud classification model, 687
KARMAKAR, P. K., *see* Sen, A. K.
KENNARD, R. L., *see* Justice, C. O.
KENNEDY, P. J.: Monitoring the phenology of Tunisian grazing lands, 835
KERR, Y. H., IMBERNON, J., DEDIEU, G., HAUTECOEUR, O., LAGOUARDE, J. P., and SEGUIN, B.: NOAA AVHRR and its uses for rainfall and evapotranspiration monitoring, 847
KERR, Y., *see* Seguin, B.
KEY, J. R., MASLANIK, J. A., and BARRY, R. G.: Cloud classification from satellite data using a fuzzy sets algorithm. A polar example, 1823
KLOSTER, K.: Using TBUS orbital elements of AVHRR image gridding, 653
KORÁNDI, M., *see* Büttner, G.
KRIEBEL, K. T.: Cloud liquid water path derived from AVHRR data using APOLLO, 723

LAGOUARDE, J. P., *see* Kerr, Y. H.
LAGOUARDE, J. P., *see* Seguin, B.

LALAS, D. P., *see* Deligiorgi, D. G.
LAPORTE, N., *see* Malingreau, J. P.
LASSELIN, D., *see* Phulpin, T.
LAWRENCE, D. H., *see* Corr, D. G.
LEHMANN, F., *see* Richter, R.
LLOYD, D.: A pehnological description of Iberian vegetation using short wave vegetation index imagery, 827
LLOYD, D., and SOUZA, G. D.: Mapping NOAA-AVHRR imagery using equal-area radial projections (erratum), 1804
LÓPEZ GARCÍA, M. J., *see* Caselles, V.
LUCAS, R. M., *see* Harrison, A. R.

MCCLAIN, E. P.: Global sea surface temperatures and cloud clearing for aerosol optical depth estimates, 763
MCCLAIN, E. P., *see* Rao, C. R. N.
MCCLATCHEY, J., *see* Collier, P.
MCCLIMANS, T. A.: Activities at the Norwegian Hydrotechnical Laboratory, 617
MCGUFFIE, K., HENDERSON-SELLERS, A., and GOODMAN, A. H.: Regional analysis of 3D (three dimensional) Nephanalysis total cloud amounts for July 1983, 1395
MCMANUS, J., *see* Saraf, A.K.
MAILLARD, P., and CAVAYAS, F.: Automatic map-guided extraction of roads from SPOT imagery for cartographic database updating, 1775
MALINGREAU, J. P., TUCKER, C. J., and LAPORTE, N.: AVHRR for monitoring global tropical deforestation, 855
MANNING, C. R., *see* Pearce, A. F.
MARELLI, L., *see* Hieronimus, A.-M.
MARKHAM, B. L., *see* Justice, C. O.
MARUO, K.: Activities of the Remote Sensing Technology Center of Japan (RESTEC), 395
MASLANIK, J. A., *see* Key, J. R.
MASON, D. C., *see* Corr, D. G.
MASON, I. M., *see* Harris, A. R.
MAYO, K. K., *see* Harrison, B. A.
MERSON, R. H.: An AVHRR mosaic image of Antarctica, 669
MILLER, J. R., *see* O'Neill, N. T.
MILNER, C., *see* Thomson, A. G.
MILTON, E. J.: Technical note. On the suitability of Kodak neutral test cards as reflectance standards, 1041
MOHAN, B. K., *see* Rao, K. S.
MOORE, J. MCM., *see* Crósta, A. P.
MOORE, R. K., *see* Zoughi, R.
MOREL, A., *see* Sathyendranath, S.
MOUSSU, G., DIABATE, L., OBRECHT, D., and WALD, L.: A method for the mapping of the apparent ground brightness using visible images from geostationary satellites, 1207
MUIRHEAD, K., *see* Fusco, L.

NARASIMHA RAO, P. V., *see* Rao, K. S.
NARAYAN, L. R. A., RAO, D. P., and GAUTAM, N. C.: Wasteland identification in India using satellite remote sensing, 93
NEJEDLY, G., *see* Winiger, M.
NOVO, E. M. M., HANSOM, J. D., and CURRAN, P. J.: The effect of sediment type on the relationship between reflectance and suspended sediment concentration, 1283
NOVO, E. M. M., HANSOM, J. D., and CURRAN, P. J.: The effect of viewing geometry and wavelength on the relationship between reflectance and suspended sediment concentration, 1357

O'NEILL, N. T., and MILLER, J. R.: On calibration of passive optical bathymetry through depth soundings. Analysis and treatment of errors resulting from the spatial variation of environmental parameters, 1481
OBRECHT, D., *see* Moussu, G.

OCAMPO-TORRES, F. J., and ROBINSON, I. S.: Wind-directional effects on the hydrodynamic modulation of microwave radar images of ocean waves, 1339
OKE, T. R., *see* Roth, M.
OLDFIELD, R. B., *see* Booth, D. J.
OLIVER, M., *see* Fuller, R. M.
OSMAN, S., *see* Zoughi, R.
OZA, M. P., SRIVASTAVA, V. K., PARISWAD, B. S., and SETTY, K. R. V.: Relationship between Landsat MSS data and forest tree parameters, 1813

PAITHOONWATTANAKIJ, K., *see* Cracknell, A. P.
PARDOE, G. K. C., and WHITE, L. P.: Satellite remote sensing market development. An alternative scenario, 295
PARISWAD, B. S., *see* Oza, M. P.
PARSELL, R. J., *see* Fuller, R. M.
PATHAK, P. N.: Analysis of Satellite Microwave Radiometer (SAMIR) data recorded from the Bhaskara-II satellite. Comments on the paper by Rao *et al.*, (1987), 1265
PEARCE, A. F., PRATA, A. J., and MANNING, C. R.: Comparison of NOAA/AVHRR-2 sea surface temperatures with surface measurements in coastal waters, 37
PECKHAM, G. E.: An optimum calibration procedure for radiometers, 227
PEDDLE, D. R., *see* Franklin, S. E.
PENNY, M. F., BILLARD, B., and ABBOT, R. H.: LADS—the Australian Laser Airborne Depth Sounder, 1463
PERRIER, A., *see* Vidal, A.
PETROU, M., *see* Cott, D. G.
PETTERSON, D. L., *see* Wessman, C. A.
PHILIP, G., GUPTA, R. P., and BHATTACHARYA, A.: Channel migration studies in the middle Ganga basin, India, using remote sensing data, 1141
PHILIPSON, W. R., GORDON, D. K., PHILPOT, W. D., and DUGGIN, M. J.: Technical note. Field reflectance calibration with grey standard reflectors, 1035
PHILIPSON, W. R., *see* Trolier, L. J.
PHILPOT, W. D., *see* Philipson, W. R.
PHILPOT, W. D., *see* Trolier, L. J.
PHULPIN, T., JULLIEN, J. P., and LASSELIN, D.: AVHRR data processing to study the surface canopies in temperate regions. First results of HAPEX-MOBILHY, 869
PISKULIN, V. A.: Economic relations of the all-union trade association Sojuzkarta and the geodetic and cartographic services of the U.S.S.R. to foreign countries, 319
POIRIER, S., THOMSON, K. P. B., CONDAL, A., and BROWN, R. J.: SAR applications in agriculture. A comparison of steep and shallow mode (30° and 53° incidence angles) data, 1085
PONTUAL, A., *see* Chapman, J. E.
PRANGSMA, G. J., and ROOZEKRANS, J. N.: Using NOAA AVHRR imagery in assessing water quality parameters, 811
PRATA, A. J.: Observations of volcanic ash clouds in the 10–12 μm window using AVHRR/2 data, 751
PRATA, A. J., *see* Pearce, A. F.
PRIEUR, L., *see* Sathyendranath, S.
PRINCE, S. D., and CHOUDHURY, B. J.: Interpretation of Nimbus 37 GHz microwave brightness temperature data in a semi-arid region, 1643
PRINCE, S. D., *see* Townshend, J. R. G.

QARI, M. Y. H. T.: Lithological mapping and structural analysis of Proterozoic rocks in part of the southern Arabian Shield using Landsat images, 499
QUADIR, D. A., *see* Ali, A.
QUARMBY, N. A., and CUSHNIE, J. L.: Monitoring urban land cover changes at the urban fringe from SPOT HRV imagery in south-east England, 953

RAFFY, M., *see* Ramstein, G.
RAMSTEIN, G., and RAFFY, M.: Analysis of the structure of radiometric remotely-sensed images, 1049

RAO, C. R. N., STOWE, L. L., and MCCLAIN, E. P.: Remote sensing of aerosols over the oceans using AVHRR data. Theory, practice and applications, 743
RAO, D. P., *see* Narayan, L. R. A.
RAO, K. S., MOHAN, B. K., NARASIMHA RAO, P. V., and KARALE, R. L.: Analysis of satellite microwave radiometer data. A reply to Pathak, 1269
REES, W. G., and SQUIRE, V. A.: Review article. Technological limitations to satellite glaciology, 7
REYNOLDS, N. E., *see* Goel, N. S.
RICHARDS, T. S.: Evidence of ancient rainwater concentrating structures in northern Egypt as seen on Landsat MSS imagery, 1135
RICHTER, R., and LEHMANN, F.: MOMS-02 sensor simulation and spectral band selection, 1429
RICHTER, R., LEHMANN, F., HAYDN, R., and VOLK, P.: Analysis of LANDSAT TM images of Chernobyl (erratum), 1427
ROBINSON, I. S., *see* Ocampo-Torres, F. J.
ROBINSON, I. S., and WARD, N.: Comparison between satellite and ship measurements of sea surface temperature in the north-east Atlantic Ocean, 787
ROCHIER, J. D., BLANCHARD, A. J., and CHEN, M. F.: The generation of surface targets with specified surface statistics, 1155
ROESSELET, C., *see* Winiger, M.
ROOZEKRANS, J. N., *see* Prangsma, G. J.
ROTH, M., OKE, T. R., and EMERY, W. J.: Satellite-derived urban heat islands from three coastal cities and the utility of such data in urban climatology, 1699
ROTHERY, D. A.: A re-interpretation of Landsat TM data on Chernobyl, 1423
ROTHERY, D. A., *see* Chapman, J. E.
RUNACRES, A. M. E., *see* Collier, P.

SARAF, A. K., and CRACKNELL, A. P.: Linear discriminant and profile analysis. An aid in remote sensing for geobotanical investigation, 1735
SARAF, A. K., CRACKNELL, A. P., and MCMANUS, J.: Geobotanical application of Airborne Thematic Mapper data in Sutherland, north-west Scotland, 545
SATHYENDRANATH, S., PRIEUR, L., and MOREL, A.: A three-component model of ocean colour and its application to remote sensing of phytoplankton pigments in coastal waters, 1373
SCHLUESSEL, P.: Satellite-derived low-level atmospheric water vapour content from synergy of AVHRR with HIRS, 705
SCHNETZLER, C. S., *see* Suresh, R.
SCHWALLER, M. R., *see* Suresh, R.
SCORER, R. S.: Cloud reflectance variations in channel-3, 675
SEGUIN, B., ASSAD, E., FRETEAUD, J. P., IMBERNON, J., KERR, Y., and LAGOUARDE, J. P.: Use of meteorological satellites for water balance monitoring in Sahelian regions, 1101
SEGUIN, B., *see* Kerr, Y. H.
SEN, A. K., KARMAKAR, P. K., DAS, T. K., DEVGUPTA, A. K., CHAKRABORTY, P. K., and DEVBARMAN, S.: Significant heights for water vapour content in the atmosphere, 1119
SETTY, K. R. V., *see* Oza, M. P.
SHOSANY, M.: Secondary reflection effect on sensor response for a V-shaped valley, 1197
SINGH, A.: Review article. Digital change detection techniques using remotely-sensed data, 989
SINGH, A. N., and DWIVEDI, R. S.: Delineation of salt-affected soils through digital analysis of Landsat MSS data, 83
SINGH, S. M.: Lowest-order correction to GVI data for solar zenith angle effect, 819
SINGHROY, H., *see* Wagner, C. L.
SKIDMORE, A. K.: Unsupervised training area selection in forests using a nonparametric distance measure and spatial information, 133
SOBIESKI, P., *see* Guissard, A.
SOUZA, G. D., *see* Lloyd, D.
SPARKMAN, J. K., JR.: NOAA polar orbiting sensor systems. Today and tomorrow, 609
SPECTER, C.: Obstacles to remote sensing commercialization in the developing world, 359
SQUIRE, V. A., *see* Rees, W. G.
SRIVASTAVA, V. K., *see* Oza, M. P.
STOW, D., BURNS, B., and HOPE, A.: Mapping Arctic tundra vegetation types using digital SPOT/HRV-XS data. A preliminary assessment, 1451

STOWE, L. L., *see* Rao, C. R. N.
SULLIVAN, W. T., III: Technical note and cover. A 10 km resolution image of the entire night-time Earth based on cloud-free satellite photographs in the 400–1100 nm band, 1
SURESH, R., FOY, C. D., WEIDNER, J. R., SCHNETZLER, C. S., and SCHWALLER, M. R.: Effect of metal stress on the thermal infrared emission of soybeans: a green-house experiment. Possible utility in remote sensing, 557
SUZUKI, Y.: Investigation of water content from airborne MSS data, 71

TAK KEE CHEUN: Can better environmental inputs improve sea clutter estimation? A numerical experiment, 23
TAYLOR, A. M., *see* Corr, D. G.
THIEM, V.: Meteorological satellite data in Europe. Free access or commercialization?, 373
THOMSON, A. G., and MILNER, C.: Population densities of sheep related to Landsat Thematic Mapper radiance, 1907
THOMSON, K. P. B., *see* Poirier, S.
TOBISS, G., *see* Fusco, L.
TOWNSHEND, J. R. G., CHOUDHURY, B. J., GIDDINGS, L., JUSTICE, C. O., PRINCE, S. D., and TUCKER, C. J.: Comparison of data from the Scanning Multifrequency Microwave Radiometer (SMMR) with data from the Advanced Very High Resolution Radiometer (AVHRR) for terrestrial environmental monitoring. An overview, 1687
TOWNSHEND, J. R. G., *see* Justice, C.O.
TOWNSHEND, J. R. G., JUSTICE, C. O., CHOUDHURY, B. J., TUCKER, C. J., KALB, V. T., and GOFF, T. E.: A comparison of SMMR and AVHRR data for continental land-cover characterization, 1633
TROLIER, L. J., PHILIPSON, W. R., and PHILPOT, W. D.: Landsat TM analysis of vineyards in New York, 1277
TUCKER, C. J., and CHOUDHURY, B. J.: Comparing SMMR and AVHRR data for drought monitoring, 1663
TUCKER, C. J., *see* Malingreau, J. P.
TUCKER, C. J., *see* Townshend, J. R. G.
TURNER, J., and WARREN, D. E.: Cloud track winds in the polar regions from sequences of AVHRR images, 695

VAN GENDEREN, J. L.: Cover. High-resolution satellite data for urban monitoring, 257
VAN GENDEREN, J. L.: Editorial. Towards remote sensing commercialization—slowly but surely, 259
VAN SMIRREN, J.: Cover. Mapping tidal currents using high resolution optical remote sensing techniques, 937
VAUGHAN, R. A., *see* Johnston, A. C.
VENKAT RAO, M., *see* Goel, P. S.
VIDAL, A., and PERRIER, A.: Technical note. Analysis of a simplified relation for estimating daily evapotranspiration from satellite thermal IR data, 1327
VIDAL-MADJAR, D., *see* Autret, M.
VIEHOFF, T.: Mesoscale variability of sea surface temperatures in the North Atlantic, 771
VIOLLIER, M., *see* Ben Moussa, H.
VOGELZANG, J.: The mapping of bottom topography with imaging radar. A comparison of the hydrodynamic modulation in some existing models, 1503
VOLK, P., *see* Richter, R.
VYGODSKAYA, N. N., GORSHKOVA, I. I., and FADEYEVA, YE V.: Theoretical estimates of sensitivity in some vegetation indices to variation in the canopy condition, 1857

WADGE, G., and CROSS, A. M.: Identification and analysis of the alignments of point-like features in remotely-sensed imagery. Volcanic cones in the Pinacate Volcanic Field, Mexico, 455
WAGNER, C. L., HOWARTH, P. J., and SINGHROY, H.: A spectral geobotanical study at Natal Lake, Northern Ontario, 1721
WALD, L., *see* Moussu, G.
WARD, N., *see* Robinson, I. S.

WARD, S. A., WEAVER, R. E., and BROWN, R. W.: Cover. Monitoring heather burning in the North York Moors National Park using multi-temporal Thematic Mapper data, 1151
WARREN, D.: AVHRR channel-3 noise and methods for its removal, 645
WARREN, D. E., *see* Turner, J.
WEAVER, R. E., *see* Ward, S. A.
WEIDNER, J. R., *see* Suresh, R.
WESSMAN, C. A., ABER, J. D., and PETTERSON, D. L.: An evaluation of imaging spectrometry for estimating forest canopy chemistry, 1293
WHITE, L. P., *see* Pardoe, G. K. C.
WHITTINGTON, I. F. G.: An assessment of the capability of stereo Shuttle photography as a source of feature content for mapping, 965
WILLIAMS, C. P.: Landsat commercialization. Keys to future success, 265
WILSON, D. P. S.: Commercialization of remote sensing from the Eurimage view, 351
WINIGER, M., HEEB, M., NEJEDLY, G., and ROESSELET, C.: Regional boundary layer airflow patterns derived from digital NOAA-AVHRR data, 731
WITTE, F., *see* Hühnerfuss, H.
WOOD, T. F., and FOODY, G. M.: Analysis and representation of vegetation continua from Landsat Thematic Mapper data for lowland heaths, 181
WYATT, G., *see* Fuller, R. M.

ZOUGHI, R., BREDOW, J., OSMAN, S., and MOORE, R. K.: Fine resolution signatures of coniferous and deciduous trees at C band, 147